DEC-20-2004 18:21

AMENDMENTS TO THE CLAIMS

An arrowhead comprising: 1. (Original)

at least two blades attached with respect to a body of the arrowhead, each of said blades having a flat surface on at least one face of one of said blade and an insert mounted within a cutout of said blade, and a steering element extending outward from said flat surface.

- An arrowhead according to Claim 1, wherein said 2. (Original) steering element has a leading surface, and a distance between said leading surface and said flat surface of said blade increases in a direction from a front of said leading surface to a rear of said leading surface.
- An arrowhead according to Claim 2, wherein said 3. (Original) leading surface is flat.
- An arrowhead according to Claim 2, wherein said 4. (Original) leading surface is curved.

P300/clb NA-154 3

- 5. (Original) An arrowhead according to Claim 2, wherein at least a portion of said leading surface is concave.
- 6. (Original) An arrowhead according to Claim 1, wherein said steering element is integrated with said blade.
- 7. (Original) An arrowhead according to Claim 1, wherein said steering element is connected to said blade.
- 8. (Original) An arrowhead according to Claim 1, wherein said flat surface is planar.
- 9. (Original) An arrowhead according to Claim 1, wherein each said blade is removably attached to said body.
- 10. (Original) An arrowhead according to Claim 1, wherein each said blade is pivotably mounted with respect to said body.

- 11. (Original) A blade for an arrowhead, the blade comprising:
 said blade having a flat surface on at least one face of one of said blade
 and an insert mounted within a cutout of said blade, and a steering element extending
 outward from said flat surface.
- 12. (Original) A blade according to Claim 11, wherein said steering element has a leading surface, and a distance between said leading surface and said flat surface of said blade increases in a direction from a front of said leading surface to a rear of said leading surface.
- 13. (Original) A blade according to Claim 12, wherein said leading surface is flat.
- 14. (Original) A blade according to Claim 12, wherein said leading surface is curved.
- 15. (Original) A blade according to Claim 12, wherein at least a portion of said leading surface is concave.

P300/clb

- 16. (Original) A blade according to Claim 11, wherein said steering element is integrated with said blade.
- 17. (Original) A blade according to Claim 11, wherein said steering element is connected to said blade.
- 18. (Original) A blade according to Claim; 11, wherein said flat surface is planar.
 - 19. (Canceled)
- 20. (Original) A blade according to Claim 11, wherein a layer of adhesive is positioned between said flat surface and a bottom surface of said steering element.
- 21. (New) A blade according to Claim 11, wherein said blade is pivotally attached with respect to a body of an arrowhead.

P300/c1b